



Kabelschuhe lötfrei Ringform ohne Isolation nach DIN 46234

Ausführung in SE-CU
galvanisch verzinkt
Temperaturbeständig bis +125°C

*= nicht genormt nach DIN

Artikelnummer		Leiterquer- schnitt in mm ²	Bolzen M	Nenngröße Din	Abmessungen in mm		
					d1	d3	L
RSQ 7180	A 2-0,5	0,10-0,50	2,0	2-0,5	1,0	5,0	10
RSQ 7180	A 2,5-0,5	0,10-0,50	2,5	*	1,0	5,0	10
RSQ 7180	A 3-0,5	0,10-0,50	3,0	3-0,5	1,0	5,0	10
RSQ 7180	A 3,5-0,5	0,10-0,50	3,5	*	1,0	6,0	12
RSQ 7181	A 3,5-0,5	0,10-0,50	3,5	3,5-0,5	1,0	6,5	10
RSQ 7181	A 4-0,5	0,10-0,50	4,0	4-0,5	1,0	6,5	12
RSQ 7182	A 5-0,5	0,10-0,50	5,0	5-0,5	1,0	8,0	11
RSQ 7103	A 2-1	0,25-1,50	2,0	*	1,6	6,0	11
RSQ 7103	A 2,5-1	0,25-1,50	2,5	2,5-1	1,6	6,0	11
RSQ 7103	A 3-1	0,25-1,50	3,0	3-1	1,6	6,0	11
RSQ 7103	A 3,5-1	0,25-1,50	3,0	3,5-1	1,6	6,0	11
RSQ 7154	A 4-1	0,25-1,50	4,0	*	1,6	7,0	11
RSQ 7104	A 4-1	0,25-1,50	4,0	4-1	1,6	8,0	12
RSQ 7104	A 5-1	0,25-1,50	5,0	*	1,6	8,0	12
RSQ 7105	A 5-1	0,25-1,50	5,0	5-1	1,6	10,0	13
RSQ 7105	A 6-1	0,25-1,50	6,0	*	1,6	10,0	13
RSQ 7158	A 6-1	0,25-1,50	6,0	*	1,6	12,0	17
RSQ 7158	A 8-1	0,25-1,50	8,0	*	1,6	12,0	17
RSQ 7158	A 10-1	0,25-1,50	10,0	*	1,6	14,0	16,6
RSQ 7159	A 3-2,5	>1,0-2,5	3,0	3-2,5	2,3	6,0	10,8
RSQ 7159	A 3,5-2,5	>1,0-2,5	3,5	3,5-2,5	2,3	6,0	10,8
RSQ 7160	A 3,5-2,5	>1,0-2,5	3,5	*	2,3	6,8	11,0
RSQ 7108	A 4-2,5	>1,0-2,5	4,0	4-2,5	2,3	8,0	11,8
RSQ 7108	A 5-2,5	>1,0-2,5	5,0	*	2,3	8,0	11,8
RSQ 7109	A 5-2,5	>1,0-2,5	5,0	5-2,5	2,3	10,0	13,8
RSQ 7109	A 6-2,5	>1,0-2,5	6,0	*	2,3	10,0	13,8
RSQ 7110	A 6-2,5	>1,0-2,5	6,0	6-2,5	2,3	11,0	15,8
RSQ 7162	A 8-2,5	>1,0-2,5	8,0	8-2,5	2,3	14,0	17,0
RSQ 7151	A 10-2,5	>1,0-2,5	10,0	*	2,3	18,0	20,0
RSQ 7151	A 12-2,5	>1,0-2,5	12,0	*	2,3	18,0	20,0
RSQ 7155	A 4-6	>2,5-6,0	4,0	4-6	3,6	8,0	14,0
RSQ 7112	A 5-6	>2,5-6,0	5,0	5-6	3,6	10,0	15,0
RSQ 7114	A 6-6	>2,5-6,0	6,0	6-6	3,6	11,0	16,0
RSQ 7115	A 8-6	>2,5-6,0	8,0	8-6	3,6	14,0	19,0
RSQ 7117	A 10-6	>2,5-6,0	10,0	10-6	3,6	18,0	21,0
RSQ 7117	A 12-6	>2,5-6,0	12,0	*	3,6	18,0	21,0



**Albert
Schäfer
Nachf.**

Albert Schäfer Nachf. GmbH
Forststraße 154
70193 Stuttgart

Telefon: 0711 633037-0
Telefax: 0711 633037-29
eMail: verkauf@albert-schaefer.de



Artikelnummer				Leiterquer- schnitt in mm ²	Bolzen M	Nenngröße Din	Abmessungen in mm		
							d1	d3	L
RSQ 7119	A	4-10	>6,0-10,0	4,0	*		4,5	10,0	16,0
RSQ 7119	A	5-10	>6,0-10,0	5,0	5-10		4,5	10,0	16,0
RSQ 7120	A	6-10	>6,0-10,0	6,0	6-10		4,5	11,0	17,0
RSQ 7121	A	8-10	>6,0-10,0	8,0	8-10		4,5	14,0	20,0
RSQ 7122	A	10-10	>6,0-10,0	10,0	10-10		4,5	18,0	21,0
RSQ 7123	A	12-10	>6,0-10,0	12,0	12-10		4,5	22,0	23,0
RSQ 7125	A	5-16	>10,0-16,0	5,0	5-16		5,8	11,0	20,0
RSQ 7125	A	6-16	>10,0-16,0	6,0	6-16		5,8	11,0	20,0
RSQ 7126	A	8-16	>10,0-16,0	8,0	8-16		5,8	14,0	22,0
RSQ 7127	A	10-16	>10,0-16,0	10,0	10-16		5,8	18,0	24,0
RSQ 7128	A	12-16	>10,0-16,0	16,0	12-16		5,8	22,0	26,0
RSQ 7156	A	5-25	>16,0-25,0	5,0	5-25		7,5	12,0	25,0
RSQ 7156	A	6-25	>16,0-25,0	6,0	6-25		7,5	12,0	25,0
RSQ 7130	A	6-25	>16,0-25,0	6,0	*		7,5	16,0	25,0
RSQ 7130	A	8-25	>16,0-25,0	8,0	8-25		7,5	16,0	25,0
RSQ 7131	A	10-25	>16,0-25,0	10,0	10-25		7,5	18,0	26,0
RSQ 7132	A	12-25	>16,0-25,0	12,0	12-25		7,5	22,0	31,0
RSQ 7211	A	16-25	>16,0-25,0	16,0	16-25		7,5	28,0	35,0
RSQ 7229	A	6-35	>25,0-35,0	6,0	6-35		9,0	15,0	26,0
RSQ 7134	A	8-35	>25,0-35,0	8,0	8-35		9,0	16,0	26,0
RSQ 7175	A	10-35	>25,0-35,0	10,0	10-35		9,0	18,0	27,0
RSQ 7135	A	12-35	>25,0-35,0	12,0	12-35		9,0	22,0	31,0
RSQ 7212	A	16-35	>25,0-35,0	16,0	16-35		9,0	28,0	36,0
RSQ 7187	A	20-35	>25,0-35,0	20,0	*		9,0	30,0	37,5
RSQ 7136	A	6-50	>35,0-50,0	6,0	6-50		11,0	18,0	34,0
RSQ 7136	A	8-50	>35,0-50,0	8,0	8-50		11,0	18,0	34,0
RSQ 7136	A	10-50	>35,0-50,0	10,0	10-50		11,0	18,0	34,0
RSQ 7137	A	12-50	>35,0-50,0	12,0	12-50		11,0	22,0	36,0
RSQ 7139	A	16-50	>35,0-50,0	16,0	16-50		11,0	28,0	40,0
RSQ 7193	A	20-50	>35,0-50,0	20,0	*		11,0	32,0	41,5
RSQ 7140	A	6-70	>50,0-70,0	6,0	6-70		13,0	22,0	38,0
RSQ 7140	A	8-70	>50,0-70,0	8,0	8-70		13,0	22,0	38,0
RSQ 7140	A	10-70	>50,0-70,0	10,0	10-70		13,0	22,0	38,0
RSQ 7140	A	12-70	>50,0-70,0	12,0	12-70		13,0	22,0	38,0
RSQ 7142	A	16-70	>50,0-70,0	16,0	16-70		13,0	28,0	42,0
RSQ 7188	A	20-70	>50,0-70,0	20,0	*		13,0	32,0	45,0
RSQ 7144	A	8-95	>70,0-95,0	8,0	8-95		15,0	24,0	42,0
RSQ 7144	A	10-95	>70,0-95,0	10,0	10-95		15,0	27,0	42,0
RSQ 7144	A	12-95	>70,0-95,0	12,0	12-95		15,0	24,0	42,0
RSQ 7145	A	16-95	>70,0-95,0	16,0	16-95		15,0	28,0	44,0
RSQ 7145	A	20-95	>70,0-95,0	20,0	20-95		15,0	32,0	51,8



**Albert
Schäfer
Nachf.**

Albert Schäfer Nachf. GmbH
Forststraße 154
70193 Stuttgart

Telefon: 0711 633037-0
Telefax: 0711 633037-29
eMail: verkauf@albert-schaefer.de



Artikelnummer			Leiterquer- schnitt in mm ²	Bolzen M	Nenngröße Din	Abmessungen in mm		
						d1	d3	L
RSQ 7146	A	8-120	>95,0-120,0	8,0	8-120	16,5	24,0	44,0
RSQ 7146	A	10-120	>95,0-120,0	10,0	10-120	16,5	24,0	44,0
RSQ 7146	A	12-120	>95,0-120,0	12,0	12-120	16,5	24,0	44,0
RSQ 7147	A	16-120	>95,0-120,0	16,0	16-120	16,5	28,0	48,0
RSQ 7225	A	20-120	>95,0-120,0	20,0	*	16,5	32,0	53,0
RSQ 7149	A	10-150	>120,0-150,0	10,0	10-150	19,0	30,0	50,0
RSQ 7149	A	12-150	>120,0-150,0	12,0	12-150	19,0	30,0	50,0
RSQ 7149	A	16-150	>120,0-150,0	16,0	16-150	19,0	30,0	50,0
RSQ 7215	A	18-150	>120,0-150,0	18,0	*	19,0	36,0	63,0
RSQ 7215	A	20-150	>120,0-150,0	20,0	*	19,0	36,0	63,0
RSQ 7172	A	10-185	>150,0-185,0	10,0	10-185	21,0	36,0	50,0
RSQ 7172	A	12-185	>150,0-185,0	12,0	12-185	21,0	36,0	50,0
RSQ 7172	A	16-185	>150,0-185,0	16,0	16-185	21,0	36,0	50,0
RSQ 7223	A	18-185	>150,0-185,0	18,0	*	21,0	38,5	67,5
RSQ 7172	A	20-185	>150,0-185,0	20,0	*	21,0	36,0	50,0
RSQ 7173	A	10-240	>185,0-240,0	10,0	10-240	23,5	38,0	56,0
RSQ 7173	A	12-240	>185,0-240,0	12,0	12-240	23,5	38,0	56,0
RSQ 7173	A	16-240	>185,0-240,0	16,0	16-240	23,5	38,0	56,0
RSQ 7217	A	18-240	>185,0-240,0	18,0	*	23,5	44,0	69,0
RSQ 7217	A	20-240	>185,0-240,0	20,0	*	23,5	44,0	69,0
RSQ 7217	A	22-240	>185,0-240,0	22,0	*	23,5	44,0	69,0
RSQ 7217	A	32-240	>185,0-240,0	32,0	*	23,5	44,0	69,0
RSQ 7174	A	10-300	>240,0-300,0	10,0	*	27,5	50,0	69,0
RSQ 7174	A	12-300	>240,0-300,0	12,0	*	27,5	50,0	69,0
RSQ 7174	A	16-300	>240,0-300,0	16,0	*	27,5	50,0	69,0
RSQ 7218	A	18-300	>240,0-300,0	18,0	*	27,5	50,5	80,5
RSQ 7218	A	20-300	>240,0-300,0	22,0	*	27,5	50,5	80,5
RSQ 7218	A	22-300	>240,0-300,0	24,0	*	27,5	50,5	80,5



**Albert
Schäfer
Nachf.**

Albert Schäfer Nachf. GmbH
Forststraße 154
70193 Stuttgart

Telefon: 0711 633037-0
Telefax: 0711 633037-29
eMail: verkauf@albert-schaefer.de